

PATENT
Reply under 37 CFR 1.116
EXPEDITED PROCEDURE
Group 3625

AMENDMENT(S) TO THE CLAIMS

1. (previously presented) A stock preparation monitoring system, comprising:
- a stock preparation apparatus;
 - a sensor coupled with said stock preparation apparatus and configured for sensing a physical parameter associated with said stock preparation apparatus, said sensor including a
 - 5 wireless transmitter for transmitting an air-borne wireless output signal corresponding to said sensed physical parameter;
 - a remote unit including a receiver for receiving said wireless output signal, said receiver including a first data link for transmitting a remote output signal corresponding to said wireless output signal; and
 - 10 a base unit including a second data link at least intermittently coupled with said first data link for receiving said remote output signal, said base unit including means for at least one of:
 - transmitting a price quote to said remote unit via said second data link and said
 - first data link; and
 - transmitting a shipment notification to said remote unit via said second data link
 - 15 and said first data link indicating a part has been shipped.

2. (original) The stock preparation system of claim 1, wherein said stock preparation apparatus includes a wear part, and wherein said wireless output signal corresponds to a wear state of said wear part.

VOI0148.US

PATENT
Reply under 37 CFR 1.116
EXPEDITED PROCEDURE
Group 3625

3. (previously presented) A stock preparation monitoring system, comprising:

a stock preparation apparatus;

a sensor coupled with said stock preparation apparatus and configured for sensing a physical parameter associated with said stock preparation apparatus, said sensor including a wireless transmitter for transmitting an air-borne wireless output signal corresponding to said sensed physical parameter;

a remote unit including a receiver for receiving said wireless output signal, said receiver including a first data link for transmitting a remote output signal corresponding to said wireless output signal; and

a base unit including a second data link at least intermittently coupled with said first data link for receiving said remote output signal, said base unit including means for at least one of:

analyzing said remote output signal;

transmitting a state notification to said remote unit via said second data link and said first data link corresponding to a state of said sensed physical parameter;

transmitting a price quote to said remote unit via said second data link and said first data link; and

transmitting a shipment notification to said remote unit via said second data link and said first data link indicating a part has been shipped;

wherein said stock preparation apparatus includes a wear part and said wireless output signal corresponds to a wear state of said wear part; and

wherein said stock preparation apparatus comprises a screen basket and said wear part comprises a screen within said screen basket.

VOI0148.US

PATENT
Reply under 37 CFR 1.116
EXPEDITED PROCEDURE
Group 3625

4. (original) The stock preparation system of claim 3, wherein said screen includes a plurality of holes and said wireless output signal generally corresponds to a profile of said holes.

5. (original) The stock preparation system of claim 4, wherein said sensor comprises an ultrasound transceiver.

6. (original) The stock preparation system of claim 5, wherein said wireless output signal generally corresponds to a size of said holes.

7. (original) The stock preparation system of claim 1, said remote unit including means for at least one of:

analyzing said wireless output signal; and

transmitting a state notification to said base unit via said first data link and said

5 second data link corresponding to a state of said sensed physical parameter.

8. (previously presented) A stock preparation monitoring system, comprising:

a stock preparation apparatus;

a sensor coupled with said stock preparation apparatus and configured for sensing a physical parameter associated with said stock preparation apparatus, said sensor including a
5 wireless transmitter for transmitting an air-borne wireless output signal corresponding to said sensed physical parameter;

VOI0148.US

PATENT
Reply under 37 CFR 1.116
EXPEDITED PROCEDURE
Group 3625

a remote unit including a receiver for receiving said wireless output signal, said receiver including a first data link for transmitting a remote output signal corresponding to said wireless output signal; and

10 a base unit including a second data link at least intermittently coupled with said first data link for receiving said remote output signal, said base unit including means for at least one of:

analyzing said remote output signal;

transmitting a state notification to said remote unit via said second data link and said first data link corresponding to a state of said sensed physical parameter;

15 transmitting a price quote to said remote unit via said second data link and said first data link; and

transmitting a shipment notification to said remote unit via said second data link and said first data link indicating a part has been shipped;

wherein said base unit includes means for each of said analyzing step and said transmitting
20 steps.

9. (original) The stock preparation system of claim 1, wherein said first data link and said second data link each comprise a modem.

10. (previously presented) A method of monitoring a stock preparation system, comprising the steps of:

providing a stock preparation apparatus;

coupling a sensor with said stock preparation apparatus;

VOX0148.US

PATENT
Reply under 37 CFR 1.116
EXPEDITED PROCEDURE
Group 3625

- 5 sensing a physical parameter associated with said stock preparation apparatus;
transmitting an air-borne wireless output signal using a wireless transmitter, said wireless
output signal corresponding to said sensed physical parameter;
receiving said wireless output signal at a receiver of a remote unit;
transmitting a remote output signal from a first data link of said remote unit to a second
10 data link of a base unit; and
at least one of:
transmitting a price quote to said remote unit via said second data link and said
first data link; and
transmitting a shipment notification to said remote unit via said second data link
15 and said first data link indicating a part has been shipped.

11. (previously presented) The method of claim 10, including analyzing said remote
output signal in said base unit.

12. (previously presented) The method of claim 10, including analyzing said remote
output signal in said remote unit.

13. (previously presented) The method of claim 10, including analyzing said remote
output signal and transmitting a state notification to said remote unit from said base unit.

VOI0148.US

PATENT
Reply under 37 CFR 1.116
EXPEDITED PROCEDURE
Group 3625

14. (original) The method of claim 10, wherein said steps of transmitting said price quote and transmitting said shipment notification are each carried out in said base unit.

15. (original) The method of claim 10, wherein said first data link and said second data link each comprise a modem and said step of transmitting said remote output signal is carried out intermittently.

16. (original) The method of claim 10, wherein said analyzing step is carried out after said step of transmitting said remote output signal.

17-18. (cancelled)

19. (previously presented) A stock preparation monitoring system, comprising:
a stock preparation apparatus;
a sensor coupled with said stock preparation apparatus and configured for sensing a physical parameter associated with said stock preparation apparatus, said sensor including a
5 transmitter for transmitting an output signal corresponding to said sensed physical parameter;
a remote unit including a receiver for receiving said output signal, said receiver including a first data link for transmitting a remote output signal corresponding to said output signal; and
a base unit including a second data link at least intermittently coupled with said first data link for receiving said remote output signal, said base unit including means for at least one of:

VOI0148.US

PATENT
Reply under 37 CFR 1.116
EXPEDITED PROCEDURE
Group 3625

10 transmitting a price quote to said remote unit via said second data link and said
first data link; and
transmitting a shipment notification to said remote unit via said second data link
and said first data link indicating a part has been shipped.

VOI0148.US